

## **Backflow Prevention Assembly Test & Maintenance Form**

Owner of Proper	Derty Return Form By:				
Mailing Addres	SS		Test Date		
Contact Person		(ST) (ZIP)		P - ASSE #1013 C- ASSE #1015 /B - ASSE #1020	RPDA - ASSE #104 DCDA - ASSE #104 SRVB - ASSE #1056
Exact Location	(CITY)	(ST) (ZIP)	 Make  Size	Mode Serial	
Line PSI	Reduced Pressure Backflow Pr Double Check Valve Assembly		Preventer	Pressure Vacuum Breaker Spill Resistant Vacuum Breaker	
	Check Valve No. 1	Check Valve No. 2	Relief Valve	Check Valve	Air Inlet
Initial Test PASS   FAIL	Closed Tight	Closed TightPSID	Opened at PSID Did Not Open	Closed Tight  Leaked  PSID	Opened at PSID Did Not Open
Repairs					
Final Test	Closed Tight	Closed Tight	Opened at	Closed Tight	Opened at
PASS	PSID	PSID	PSID	PSID	PSID
Condition of No. 2 Shut	off Valve: Closed Tig	ht Leaked	Water	Service Restored	Yes No
Notes:					
Certification: (	On this date, the above	e device was tested pe	er applicable codes an	d the required perform	nance standards.
Test Type	Gauge	Ser. No.	Testing Firm		
Tester Name	1	•	Tester Certification No.		
Tostor Signaturo:				Data	